

# ASP CLOUD + vSG

PRODUCT DATA SHEET

ASP Cloud & vSG allow service providers to deliver fast and secure **user-aware services** to users in your network across multiple locations

# ANTlabs ASP CLOUD SOLUTION

ANTlabs suite of gateway and cloud solutions has always focused on delivering user-aware services. The fifth-generation suite provides expanding support to ANTLabs gateways (including the virtualized vSG) and other vendor's network devices like routers, gateways and wireless controllers to provide a uniform, consistent experience to the end-users. For IT Management, this means better control and visibility over more aspects of the network service and having the flexibility to customize the user experience according to local conditions.

## STANDARD FEATURES

### → Centralized Service Management Platform

- Integration to different network equipment
- WYSIWYG Portal Management / Customizable portal templates
- Multi-language support
- Providing consistent delivery of services and experience
- Pooling & sharing of licenses & modules across entire organization
- Policy Control (vSG/SG5 exclusive)
  - Service plans
  - Advanced bandwidth management
  - Auto-logout of inactive users, forced logout of users
  - Departed device detection and logout
  - Bandwidth rate limit: device / account
  - HTTP / HTTPS / IP walled garden
  - Email login reminder
  - Location / VLAN-based content delivery
  - Unique login pages for separate locations
  - Admin-assisted login
  - Easy account generation with account printer
- Zero-touch provisioning
- Cloud management

### → User-Aware Service Delivery

- BYOC (Bring your own content)
  - Personal Area Network
  - PMS Integration
  - Guaranteed streaming bandwidth
- Differentiated High Speed Internet Access
  - Guest Aware bandwidth optimization through advanced QoS
  - VIP recognition
- Seamless Re-login
  - Quick re-association to network
- Roaming Service
  - No login across sites
- Zero-configuration on end-user device

### → Gateways/APs Supported

- SG5 Express / SG5 Pro
- vSG Express / Pro
- Cloud Gateway supported AP & other gateway models:
  - > Ruckus
  - > Aruba
  - > Cisco Meraki
  - > Rujie
  - > Ubiquiti
  - > MikroTik

## → AAA (Authentication)

- Complimentary
- Global roaming
- 802.1x / Hotspot 2.0
- User form authentication
- Social WiFi
  - Facebook
  - Twitter
  - Google
  - Instagram
  - Line
  - WeChat
  - LinkedIn
  - Office 365
- QR code & boarding pass PNR integration\*
- RADIUS / WISPr

## → Security and Compliance

- Lawful Intercept
- Terms and Conditions
- General Data Protection Regulation (GDPR) compliant
- User data privacy protection
- Anti-SPAM / Anti-DOS (vSG/SG5)
- Stateful Firewall (vSG/SG5)

## → Reliability

- High Availability
- Backup in the Cloud
- Faster service restoration time through seamless transfer of license across equipment

## → Engagement

- Time based banners / Promos
- Notification engine for sending alerts and messages\*\*

## → WiFi Monetization

- WiFi advertising
- Upsell services with different payment methods
- Credit card authentication & billing - WorldPay, Authorize.net, Payflow Pro, Payflow Link

## → User Identification & onboarding

- Multiple login methods (i.e., Complimentary, Pre-paid, etc.)
- Social media
- Radius / LDAP support
- Property Management System (PMS)
- Registration form

## → Network and User Visibility

- Reports
  - Transactions
  - Sessions
  - Authentication
- User Analytics
  - Usage
  - Device
  - Demographics
  - Interests
- Summary
  - Revenue
  - Authentication
  - License
- Graphs / Trends
  - System
  - Network
  - Login sessions

\* Inquire for more info

\*\* 2022 Roadmap

Deliver fast, secure, user-aware services to your guests with  
ASP Cloud + vSG

## SPECIFICATIONS / MODULES / ADD-ONS

Recommended VM specifications serve as references for computing resources requirement to host vSG only.

vSG Express VM Requirements	500 Users / 2 WAN	More than 2K Users / 2 WAN (Max 5K Users)
vCPU**	4	4
Memory (GB)**	4*	8
Network Interfaces (vNIC)	5	5
Image Size (GB)	440	440
Storage IOPs	800	800

vSG Pro VM Requirements	2K Users / 4 WAN	10K Users / 8 WAN	More than 10K Users / 8 WAN (Max 30K Users)
vCPU**	8*	23*	32
Memory (GB)**	8*	16	16
Network Interfaces (vNIC)	7	7	7
Image Size (GB)	640	640	640
Storage IOPs	800	1000	1000

\* VM administrator will need to manually change the VM setting to the desired value after importing the image.

\*\*We recommend vSG run in a host where CPU and RAM is dedicated to the vSG VM. We do not recommend CPU overcommit nor memory overcommit.

## SG 5 & vSG MODULES / SERVICES / ASP PLATFORM

SG 5 & vSG Modules - Express/Pro	Services	Platform
Payment Property Management System Volume Control Radius Support Lawful Intercept Advanced QoS Multi-WAN Event Manager PAN / Casting	HSIA-as-a-Service <ul style="list-style-type: none"> <li>Fast deployment of WiFi hotspots across multiple locations</li> <li>Drag-and-drop portal design &amp; management</li> <li>WiFi monetization</li> </ul>	Edge Connector <ul style="list-style-type: none"> <li>ANTLabs Gateways</li> <li>Edge Connector - Others                             <ul style="list-style-type: none"> <li>ANTLabs Cloud Gateway</li> <li>Other AP brands*</li> <li>Other gateway brands*</li> </ul> </li> <li>Global Accounts</li> <li>Cloud Backups</li> </ul>
		*Enquire to see a separate list of latest supported brands and other equipment

114 Lavender St. #10-75 CT Hub 2 Singapore 338729  
 +65 6858 6789  
 sales@antlabs.com  
 www.antlabs.com

**ANTlabs**  
 Services Made Easy